4 Install WES 8.3

- **1.** Print out pages 9 28 of this document before starting if possible.
- 2. Log in as root.
- Identify an install directory (e.g. /usr1) on a file system with 15GB+ of free disk space.

Note: If you already identified an install directory for a previous WES installation, then use this same directory. The install script will notify you of the correct directory to use if you do not enter the same directory as in the previous WES installation.

- 4. Load and mount the Weather Event Simulator 8.3 install DVD:
 - e.g. mount /media/cdrecorder if the DVD doesn't automatically mount
- 5. cd to the WES directory and script your shell session to a log file:
 - e.q. cd /awips
 - e.g. script wes8.3.log.061108
- 6. cd to your dvdrom device:
 - e.g. cd /media/cdrecorder
- **7.** Run the WES install script. AWIPS freeware comes bundled in RPM's. If you want the WES install script to install these RPM's, run the install script as normal:
 - e.g. ./install-wes83.sh <your_install_directory>

If you do not want the WES install script to install these RPM's, then run the install script with the -norpm flag:

e.g. ./install-wes83.sh <your_install_directory> -norpm

With the "-norpm" option, you will need to manually install the freeware RPM's. For instructions on installing RPM's manually, refer to Section 24.

6/26/2008

Note: The script will inform you about the files and directories that are going to be deleted. The installation will also prompt you to install Xine for video support, which you can do manually or let the installation script do it for you.

Note: After agreeing to continue with the installation, wait for install-wes83.sh to return "install-wes83.sh finished" (~5-10 minutes).

- 8. End your scripting log by typing Ctrl-D. Now review the log file using more or your favorite text editor, and look for any problems in the install. In particular, you need to watch for "error: Failed dependencies:" messages in the freeware installation. If you find any of these messages, you will need to manually install or uninstall the appropriate RPM's. For guidance on how to do this see "Section 24, Manual Installation of AWIPS Freeware".
- 9. This version of WES contains a version 9 of the Adobe Flash player for Linux. During WES8.3 installation, two Linux flashplayer files were copied from the WES8.3 install DVD into the /awips/fxa/install_flash_player_9_linux directory. To install the Flash files, first determine the version of your specific Web Browser (e.g. run firefox) by looking under **Properties** or **About** under the **Help** menu. Once the version has been determined, copy the two flashplayer files into the plugins directory for the Browser (e.g. in /usr/lib/mozilla/plugins for Mozilla or /usr/lib/firefox-1.5.0.12/plugins for Firefox).

For example, an installation for Firefox version 1.5.0.12 (remember your browser and version may be different) would follow these steps:

- e.g. cd /awips/fxa/install flash player 9 linux
- e.g. cp libflashplayer.so /usr/lib/firefox-1.5.0.12/plugins
- e.g. cp flashplayer.xpt /usr/lib/firefox-1.5.0.12/plugins

Note: For more information on the plugin installation, view /awips/fxa/install_flash_player_9_linux/Readme.txt.

10. Logout of your machine and log back in as user fxa

If no fxa account previously existed, a new account was created by the install scripts with the password fxapass. If no postgres account previously existed, a new postgres account was also created. You will need to change the postgres password as root after the installation.

6/26/2008